

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

PCT

WORLD INTELLECT  
Intu



INTERNATIONAL APPLICATION PUBLISHED

(51) International Patent Classification<sup>6</sup> :

C07C 279/14, A23L 1/305

A

WO 9604240A1

(43) International Publication Date: 15 February 1996 (15.02.96)

(21) International Application Number: PCT/EP95/02897

(22) International Filing Date: 21 July 1995 (21.07.95)

(30) Priority Data:  
MI94A001693 4 August 1994 (04.08.94) IT

(71) Applicant (for all designated States except US): FLAMMA  
S.P.A. [IT/IT]; Via Boccaleone, 13, I-24100 Bergamo (IT).

(72) Inventors; and  
(75) Inventors/Applicants (for US only): NEGRISOLI, Giampaolo  
[IT/IT]; Via Boccaleone, 13, I-24100 Bergamo (IT). DEL  
CORONA, Lucio [IT/IT]; Via Boccaleone, 13, I-24100  
Bergamo (IT).

(74) Agent: MINOJA, Fabrizio; Studio Consulenza Brevettuale, Via  
Rossini, 8, I-20122 Milano (IT).

(81) Designated States: CA, JP, US, European patent (AT, BE, CH,  
DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).

**Published**

*With international search report.*

*Before the expiration of the time limit for amending the  
claims and to be republished in the event of the receipt of  
amendments.*

(54) Title: HYDROSOLUBLE ORGANIC SALTS OF CREATINE

(57) Abstract

Hydrosoluble organic salts of creatine are disclosed. The salts are useful in the dietetic and food industry.


***FOR THE PURPOSES OF INFORMATION ONLY***

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

HYDROSOLUBLE ORGANIC SALTS OF CREATINE

The present invention refers to hydrosoluble organic salts of creatine of general formula I:



wherein  $\text{A}^\ominus$  represents the anion of a mono, bi- or tricarboxylic acid. Preferred anions are the citrate, maleate, fumarate, tartrate or malate.

Creatine or N-(aminoiminomethyl)-N-methylglycine is a sarcosine derivative present in the muscle tissue of many vertebrates, man included, mainly combined with phosphoric acid in form of phosphorylcreatine and it is involved in the energy transfer from mitochondria to the ATP utilization sites.

Several studies indicate that there is a relationship between the creatine (phosphoryl creatine) concentration in the muscles having the function of keeping an high intracellular ATP/ADP ratio and maximum sustainable physical effort (Annu. Rev. Biochem. 54: 831-862, 1985; Science 24: 448-452, 1981; BESSMAN S.P., and F. SAVABI. The role of the phosphocreatine energy shuttle in exercise and muscle hypertrophy. In: Biochemistry of Exercise VII. A.W. Taylow, P.D. Gollnick, H.J. Gr en, C.D. Ianuzzo, E.G. Noble, G. Metivi r, and J.R. Sutton., Intl. Series Sports Scienc s 21: 167-178, 1990).

The creatine increase in diets may therefore be

## 2

useful to bring the plasma creatine concentrations at levels providing significant values of creatine itself in the muscle. The short creatine half-life in plasma (1-1.5 hours) makes however necessary to reach rapidly  
5 said levels and this, in view of the bioavailability degree of creatine, is obtainable only by the administration of high doses of 5-10 g (for mean body weights of 70 kg), amounts well tolerated because of the lack of toxicity of the compound.

10 The low solubility of creatine in water (1 g in 75 ml) is therefore a practical limitation to the possibility of marking immediately available in the specific diet the necessary amounts of creatine.

The present invention provides hydrosoluble stable  
15 organic salts of creatine of formula I characterized by high water solubility (from 3 to 15 times higher than that of creatine itself) and a process for their preparation. The salts of formula I are prepared by salifying creatine with the corresponding acids in  
20 aqueous or hydroalcoholic concentrated solution or in a water-immiscible solvent, at temperatures ranging from the room temperature to 50°C, optionally concentrating the solutions and filtering the crystallized salts. According to a preferred embodiment the salts of  
25 formula I are prepared by reacting creatine with an excess organic acid in ethyl acetate until the salt is completely formed, detectable with the IR analysis, cooling and filtering. The filtrated solvent, containing the excess acid is recycled and, after  
30 filling up of the components, is used for a further reaction.

## 3

The salts are characterized by IR, melting point, potentiometric and HPLC assay.

Table 1 reports the solubility of the salts I of the invention.

Table 1

5

Creatine salt	Water solubility % (g/100 ml)
Citrate	10
10 Maleate	19
Fumarate	3
Tartrate	8,5
Malate	4,5

15 Example 1

39.45 g (0.18 mol) of monohydrate citric acid are suspended in 100 ml of ethyl acetate. 20 g (0.134 mol) of monohydrate creatine are added to the stirred suspension at 20-25°C and the mixture is stirred 4 hours at 25°C. After IR control, the product is filtered and washed with ethyl acetate, then dried in oven at 50-55°C, obtaining 90% of salts, m.p. 112-114°C, 99.2% titer.


Example 2

25 14.9 g (0.1 mol) of monohydrate creatine are added to a solution of 11.6 g (0.1 mol) of maleic acid in 20 ml of water. The so obtained solution is concentrated, cooled to 5°C and the product filtered and dried under vacuum at 50°C, obtaining 87% of salt, m.p. 128-129°C, 99.8% titer.

30

CLAIMS

1. Salts of creatine of general formula I:



10 wherein  $\text{A}^\ominus$  represents the anion of a mono, bi- or tricarboxylic acid.

2. Creatine salts of claim 1 wherein  $\text{A}^\ominus$  is the anion of citric acid.
3. Creatine salts of claim 1 wherein  $\text{A}^\ominus$  is the anion of maleic acid.
- 15 4. Creatine salts of claim 1 wherein  $\text{A}^\ominus$  is the anion of offumaric acid.
5. Creatine salts of claim 1 wherein  $\text{A}^\ominus$  is the anion of tartaric acid.
6. Creatine salts of claim 1 wherein  $\text{A}^\ominus$  is the anion of malic acid.
- 20 7. A process for the preparation of salts of claims 1-6, comprising:
- a) contemporaneous dissolution of creatine and of the organic acid in water;
- 25 b) concentration of the solution up to complete crystallization and drying of the obtained product.
8. A process for the preparation of salts of claims 1-6, comprising:
- 30 a) reaction of creatine with the organic acid in a water-immiscible solvent at a temperature from the

room temperature to 50°C;

b) filtration and drying of the obtained product.

9. Use of salts of claims 1-6, as additive in dietetic and/or alimentary compositions.



# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/EP 95/02897

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 6 C07C279/14 A23L1/305

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 6 C07C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	CHEMICAL ABSTRACTS, vol. 84, no. 1, 1976 Columbus, Ohio, US; ZHURAVLEVA I.A. 'GLYCOLYSIS AND SOME REACTIONS OF THE PENTOSEPHOSPHATE PATHWAY IN DDT-SENSITIVE AND -RESISTANT MUSCA DOMESTICA' page 13433; see abstract & MED. PARAZITOL PARAZIT. BOLEZNI, vol. 44, no. 1, 1975 pages 53-58, ---	1
X	WO,A,94 02127 (HULTMAN ERIC ;HARRIS ROGER C (GB)) 3 February 1994 see page 7, line 11 - line 13; claims --- -/--	9

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents:

- 'A' document defining the general state of the art which is not considered to be of particular relevance
- 'E' earlier document but published on or after the international filing date
- 'L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- 'O' document referring to an oral disclosure, use, exhibition or other means
- 'P' document published prior to the international filing date but later than the priority date claimed

- 'T' later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- 'X' document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- 'Y' document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- '&' document member of the same patent family

Date of the actual completion of the international search

28 November 1995

Date of mailing of the international search report

12. 12 95

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. ( + 31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: ( + 31-70) 340-3016

Authorized officer

Sánchez García, J.M.

# INTERNATIONAL SEARCH REPORT

Inter nal Application No  
PCT/EP 95/02897

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	ACTA PHYSIOL. SCAND. (1995), 153(2), 207-9 CODEN: APSCAX; ISSN: 0001-6772, 1995 EARNST, C. P. ET AL 'The effect of creatine monohydrate ingestion on anaerobic power indices, muscular strength and body composition' see the whole document ---	9
E	EP,A,0 669 083 (SUEOKA HARUHIKO) 30 August 1995 see page 4, line 38 - line 49 -----	1,5,9

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 95/02897

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
WO-A-9402127	03-02-94	AU-B-	4594893	14-02-94
		CA-A-	2140768	03-02-94
		EP-A-	0652748	17-05-95
		FI-A-	950302	24-01-95
		JP-T-	7509230	12-10-95
		NO-A-	950250	23-01-95
-----				
EP-A-0669083	30-08-95	JP-A-	7236460	12-09-95
		AU-B-	1344795	07-09-95
		CA-A-	2142436	29-08-95
		FI-A-	950886	29-08-95
		NO-A-	950719	29-08-95
-----				